




EXTRA WHITE



MARBELLA WHITE





EXTRA WHITE



















ALEX CALACATTA

1200 X 1800 MM | LARGE FORMAT PORCELAIN SLABS





SUMMER WHITE





PAVANAZO









ONYX ICE








PRISMA STATUARIO







ARMANI GREY





















BRECCIA LAVA








BRECCIA BEIGE





AVORIO CREMA







AVENUE IVORY






CADICAR








CADICAR








PULPIS CREMA








PULPIS DOVE





3 FACES

FOREST MOON







FOREST MOON


















GLOSSY 3 FACES

FOREST VENUS



GLOSSY 3 FACES



FOREST EARTH





LAVICA BEIGE









LAVICA GREY






ELIZA NATURAL




GLOSSY 3 FACES

















BIANCO LASA


















SONATA BRONZE

HIGH GLOSSY


4 FACES











LEVANTO NATURAL











FARTOLI WHITE

ENDMATCH

GLOSSY

3 FACES




















ENDMATCH

3 FACES

GLOSSY



CORALITO







DEVCI CREMA

















LUMOS CREMA





LUMOS AVORIO

1200 X 1800 MM | LARGE FORMAT PORCELAIN SLABS

Ψ

PUBLIC PLACES



ENDMATCH

2 FACES

TIERRA HAZEL

GLOSSY



TIERRA HAZEL















OLIVA LATTE

1200 X 1800 MM | LARGE FORMAT PORCELAIN SLABS





GREY MODELA







LUCIO ARMANI








LUCIO ARMANI

ANTIQUE LITE



2 FACES

MONACO PEANUT

GLOSSY







VALENCIA TAN










VALENCIA GREY





HORDIX LIGHT







HORDIX DARK GREY




GLOSSY ENDMATCH 4 FACES



PERLIN GREY





HIGH GLOSSY 2 FACES





ALLER

1200 X 1800 MM | LARGE FORMAT PORCELAIN SLABS




















PATAGONIA

LOREAL BROWN *



2 FACES **HIGH** GLOSSY








ROMAN SENTILA



MATT 3 FACES

ROMAN EARTH



3 FACES MATT

DOVER QUILT



DOVER STEEL



2 FACES MATT



MATT





1 FACES







ORION CREMA

AVORIO CREMA



CARVING 2 FACES

ESTELLO BROWN



2 FACES CARVING

FOREST MOON





CARVING



















STUCCO BEIGE



Our latest SURFACE innovation conceived to provide an unmatched sensory experience. Gleaming with a pristine finish and smoothness beyond compare 'RICH SURFACE' is the result of our technological ingenuity. Despite its smoothness, it is highly scratch-resistant, debunking the myth that longevity and smoothness can't coexist. The surface has been carefully engineered to withstand the wear and tear of daily use, ensuring non-fading aesthetics in your space. A versatile solution for diverse applications, 'RICH SURFACE' is an ideal choice for high-traffic areas where durability is essential, such as commercial buildings, offices, and public spaces. Moreover, it is a perfect fit for high-end residential spaces, where luxury and elegance are paramount.

F E A T U R E

S



Stain Resistant



Scratch Resistant



Hygienic Surface



Chemical Resistant











ASTRAL GOLD
















BEIGE MODELA
















LAVA SLATE





Flevate your home with Flegant touches.






TOSCANA













RICH MATT + CARVING

3 FACES

4 FACES
















RICH MATT + CARVING

3 FACES


TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

TEST DISCRIPTION							
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	ACCORD VALUE				
Deviation in Length	IS-13630-1	±0.50%	±0.10%				
Deviation in Width	IS-13630-1	±0.50%	±0.10%				
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%				
Straightness of Sides	IS-13630-1	±0.50%	±0.10%				
Rectangularity	IS-13630-1	±0.60%	±0.15%				
Surface Flatness	IS-13630-1	±0.50%	±0.20%				
Surface Quality	IS-13630-1	Min. 95%	Min. 95%				
PHYSICAL PROPERTIES							
Water Absorption	IS-13630-2	≤0.50%	≤0.50%				
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²				
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N				
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max				
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4				
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.				
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ^{-0.6} Max.				
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.				
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure				
Impact Resistance-Coefficent of Restitution	IS-13630-14	As per Mfg.	0.55 Min				
Frost Resistance	IS-13630-10	As per Mfg.	No Damage				
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc				
CHEMICAL PROPERTIES							
Resistance of Staining	IS-13630-8	Class I Min.	Class II				
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA				
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A				
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.				

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200X1800mm	9mm	2 pcs.	4.32 sq. mtr.	90 kg

EXPERIENCE THE RANGE OF



Stunning Features —

















